



US007647364B2

(12) **United States Patent**
Whitmyer, Jr.

(10) **Patent No.:** **US 7,647,364 B2**
(45) **Date of Patent:** ***Jan. 12, 2010**

(54) **ONSITE BACKUP OF INTERNET-BASED DATA IN A REQUESTED FORMAT**

(75) Inventor: **Wesley W. Whitmyer, Jr.**, Stamford, CT (US)

(73) Assignee: **WhitServe LLC**, Stamford, CT (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 700 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **11/223,335**

(22) Filed: **Sep. 9, 2005**

(65) **Prior Publication Data**

US 2006/0010179 A1 Jan. 12, 2006

Related U.S. Application Data

(63) Continuation of application No. 09/706,651, filed on Nov. 6, 2000, now Pat. No. 6,981,007, which is a continuation-in-part of application No. 09/610,709, filed on Jul. 7, 2000, now abandoned.

(60) Provisional application No. 60/143,093, filed on Jul. 9, 1999.

(51) **Int. Cl.**

G06F 12/00 (2006.01)
G06F 17/30 (2006.01)
H04L 29/06 (2006.01)

(52) **U.S. Cl.** **707/204; 707/10; 713/161**

(58) **Field of Classification Search** **707/204, 707/1, 10, 104.1; 705/51; 713/165, 194**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,410,646 A 4/1995 Tondevd et al. 395/149
5,634,052 A 5/1997 Morris 395/601

5,649,196 A *	7/1997	Woodhill et al.	707/204
5,673,381 A	9/1997	Huai et al.	395/180
5,696,901 A	12/1997	Konrad	395/200.09
5,771,354 A	6/1998	Crawford	395/200.59
5,812,398 A *	9/1998	Nielsen	705/1
5,903,881 A	5/1999	Schrader et al.	705/42
5,940,843 A	8/1999	Zucknovich et al.	707/516
5,940,845 A *	8/1999	Prager et al.	715/210
5,963,642 A	10/1999	Goldstein	
6,003,044 A	12/1999	Pongracz et al.	707/204
6,032,119 A	2/2000	Brown et al.	705/2
6,076,167 A	6/2000	Borza	713/201
6,119,118 A *	9/2000	Kain et al.	707/10
6,289,347 B1	9/2001	Giroux	707/10
6,330,570 B1	12/2001	Crighton	707/204
6,360,330 B1	3/2002	Mutalik et al.	714/4
6,393,569 B1	5/2002	Orenshteyn	713/201


(Continued)

Primary Examiner—Miranda Le
(74) *Attorney, Agent, or Firm*—St. Onge Steward Johnston & Reens LLC

(57) **ABSTRACT**

A system for onsite backup of internet-based data is provided. The system includes a central computer, a client computer, a communications link between the central computer and the Internet, and a communications link between the client computer and the Internet. The system also includes at least one database containing a plurality of data records accessible by the central computer, each data record containing a client identification number. Software executing on the central computer receives a data backup request, and software executing on the central computer transmits the data backup to the client computer.

14 Claims, 3 Drawing Sheets



US 7,647,364 B2

Page 2

U.S. PATENT DOCUMENTS

6,411,943 B1	6/2002	Crawford	705/400	6,574,733 B1	6/2003	Langford	713/194
6,453,325 B1	9/2002	Cabrera et al.	707/204	6,615,327 B1 *	9/2003	Satoyama et al.	711/162
6,457,012 B1	9/2002	Jatkowski	707/101	6,778,668 B1	8/2004	Nielson	380/201
6,487,561 B1	11/2002	Ofek et al.	707/204	6,785,786 B1 *	8/2004	Gold et al.	711/162
6,487,644 B1 *	11/2002	Huebsch et al.	711/162	6,880,008 B1	4/2005	Yoneda	709/226
6,493,825 B1	12/2002	Blumenau et al.	713/168	6,883,110 B1	4/2005	Goodard	714/6
6,505,216 B1	1/2003	Schutzman et al.	707/204	6,912,629 B1 *	6/2005	West et al.	711/161
6,550,011 B1 *	4/2003	Sims, III	713/193	7,069,466 B2 *	6/2006	Trimmer et al.	714/6
6,571,280 B1	5/2003	Hubacher	709/217	2004/0034811 A1 *	2/2004	Trimmer et al.	714/13
				2006/0053147 A1 *	3/2006	Wahlert et al.	707/102

* cited by examiner






FIG. 1






FIG. 4

ONSITE BACKUP OF INTERNET-BASED DATA IN A REQUESTED FORMAT

CLAIM OF PRIORITY

This application is a continuation of U.S. patent application Ser. No. 09/706,651 filed Nov. 6, 2000, now U.S. Pat. No. 6,981,007, which is a continuation in part of U.S. patent application Ser. No. 09/610,709 filed Jul. 7, 2000, now abandoned, which claims the benefit of the filing date of U.S. Provisional Patent Application Ser. No. 60/143,093 filed Jul. 9, 1999.

FIELD OF THE INVENTION

The invention relates to outsourced, Internet-based data processing and more particularly to safeguarding customer/client data when a business outsources data processing to third party Internet-based systems.

BACKGROUND OF THE INVENTION

In an effort to improve customer service, companies are increasingly moving their data processing systems onto the Internet and providing web interfaces for their customers to see and manipulate their own data. Examples include my prior U.S. Pat. No. 5,895,468 and related U.S. application Ser. No. 09/237,521. Many other Internet based order entry and payment billing systems also exist.

Also companies are or soon will be outsourcing data processing for their own customers to third parties who, for example, develop and host the companies' web sites. This cuts costs and relieves companies of having to hire software expertise to service their customers and also relieves them of having to maintain hardware for scalability and to prevent service outages which erode customer confidence in the company. Further, hardware can be located in one place to minimize maintenance and bandwidth costs, while software and data entry can be located in one or multiple places where it is least expensive and can offer 24/7 coverage.

One difficulty companies face when considering whether to outsource data-processing to third party, Internet-based systems is the safeguarding of their and their clients' data. This problem is exacerbated when the company has a duty or professional responsibility to safeguard the data, such as a publicly traded company, law firm or medical practice. Another difficulty companies face in considering to outsource is continuity of service if, for example, the third party were to go out of business.

Many companies who currently perform their own data processing and are sensitized to the need to safeguard their and their customers' data have recently connected their LANs to the Internet, and are beginning to use third-party, Internet-based backup services (see FIG. 2). This provides a prudent off-site backup but does not offer the benefits of outsourcing the data processing to the Internet. Internet data backup companies include, inter alia, and Storage Tek.

Internet-based application service providers, so-called "ASPs" are known and provide the advantage that hardware and software maintenance and upgrades are centrally managed by a third party and not by each user or each LAN (see FIG. 3). User data may even be stored on the internet site, however, the data is still entered and manipulated by each user on his LAN/computer and the data manipulation and reporting is handled by each user on his LAN/computer.

What is desired, therefore, is an Internet-based data processing system which safeguards data providing an incentive

for companies to outsource their data processing. Safeguarding applications, and especially any user customized settings, would also be desirable.

SUMMARY OF THE INVENTION

It is an object of the invention to safeguard the integrity of client data in an Internet-based data processing system or business.

Another object of the invention is to provide third party Internet-based data processing in which clients have access to and control over their own data.

A further object of the invention is to provide an Internet-based data processing system in which clients can obtain a copy of their data for on-site backup.

Yet another object of the invention is to provide a system of the above character in which the backup is provided in a format other than that used by the third party data processing system.

Yet a further object of the invention is to provide a system of the above character in which the data is encrypted to protect its confidentiality.

Still another object of the invention is to safeguard the third-party data processing software for use by the client in the event the third party were to go out of business.

These and other objects and advantages will become more apparent from the following detailed description considered with reference to the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of an Internet-based data processing system providing backup on clients' sites.

FIG. 2 is a block diagram of prior art systems providing Internet backup for data processing on clients' sites.

FIG. 3 is a block diagram of prior art systems providing Internet hosting of application and storage of data.

FIG. 4 is a block diagram of the system of FIG. 1 illustrating additional format conversion and encryption features.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 is a block diagram of an Internet-based data processing system providing backup on clients' sites. The client computer 20 and data processing system 15 are connected by an Internet communications link 10. The client computer 20 executes software (FIG. 4 No. 38), residing on the data processing system 15, for storing data on the data processing system. The client computer 20 executes software, residing on the data processing system 15, for displaying, updating, and deleting data 12 stored on the central data processing system 15. The data processing system 15 transmits 14 a copy of stored data to the client computer 20. The client computer 20 issues commands 18 for transmitting (restoring) data 16 back to the data processing system 15. The client computer 20 executes software (FIG. 4 No. 38), residing on the data processing system 15, requesting reports from the data processing system 15. The data processing system 15 transmits reports 22 to the client computer 20. The client computer can generate reports 24 and transmit said generated reports to a client customer 26.

FIG. 2 is a block diagram of prior art systems providing Internet backup for data processing on clients' sites. The client computer 50 and data backup system 55 are connected by an Internet communications link 70. Data displayed, manipulated, and deleted (not shown) by the client computer 50 is stored on the client computer 50. The client computer 50

3

executes software for transmitting a copy of data **52** to the data backup system **55**. The client computer executes software for retrieving data **54** stored on the data backup system **55**. There is no onsite backup of data for the client computer **50** to retrieve.

FIG. **3** is a block diagram of prior art systems providing Internet hosting of application and storage of data. The client computer **60** and application hosting system **65** are connected by an Internet communications link **75**. Data displayed, manipulated, and deleted (not shown) by the client computer **60** is stored on the application hosting system **65**. There is no onsite backup of data for the client computer **60** to access.

FIG. **4** is a block diagram of the system of FIG. **1** illustrating additional format conversion and encryption features. This additional feature allows a client to back-up data on-site that is securely stored in a plurality of formats the client may require. The client computer **20** transmits a request **32** to the data backup system **15'**. The data backup system **15'** accesses data (stored on the data backup system **34**), reformats the data, encrypts the data, and transmits the data **40**, **14** to the client computer **20**. The client computer **20** receives, decrypts, and stores **38** the data onsite **36**.

It is to be understood that although specific embodiments of the invention have been described herein in detail, such description is for purposes of illustration only and modifications may be made thereto by those skilled in the art within the scope of the invention.

What is claimed is:

1. A system for onsite backup of internet-based data comprising:

- a central computer;
- a client computer at a client site;
- a communications link between said central computer and the Internet;
- a communications link between said client computer and the Internet;
- at least one database containing a plurality of data records accessible by said central computer, each data record containing a client identification number;
- software executing on said central computer for receiving a data backup request from said client computer for at least one of the data records;
- software executing on said central computer for transmitting said data backup to the client site for storage in an onsite location accessible by said client computer, wherein said central computer converts the at least one data record to a format corresponding to a data conversion request, wherein the conversion of the at least one data record to a format corresponding to said data format conversion request occurs prior to the at least one data record being sent from said central computer to the client site; and

wherein the onsite location is accessible by said client computer without using said communications link between said client computer and the Internet.

2. The system of claim **1** further comprising of software executing on said central computer for retrieving said data backup.

3. The system according to claim **1**, further comprising: a local area network (LAN) at the client site, wherein the onsite location is accessible by said client computer via said LAN.

4. A system for onsite backup of internet-based data comprising:

- a central computer;
- a client computer at a client site;

4

a communications link between said central computer and the Internet;

a communications link between said client computer and the Internet;

at least one database containing a plurality of data records accessible by said central computer, each data record containing a client identification number;

software executing on said central computer for receiving commands from said client computer;

software executing on said central computer for receiving data from said client computer;

software executing on said central computer for storing said received data in said database;

software executing on said central computer for generating a data backup request for at least one of the data records;

software executing on said central computer for transmitting said data backup request through the internet;

software executing on said central computer for receiving a reply to said data backup request;

software executing on said central computer for transmitting said data backup to the client site for storage in an onsite location accessible by said client computer, wherein said central computer converts the at least one data record to a format corresponding to a data conversion request, wherein the conversion of the at least one data record to a format corresponding to said data format conversion request occurs prior to the at least one data record being sent from said central computer to the client site; and

wherein the onsite location is accessible by said client computer without using said communications link between said client computer and the Internet.

5. The system of claim **4** further comprising of software executing on said central computer for retrieving said data backup.

6. The system according to claim **4**, further comprising: a local area network (LAN) at the client site, wherein the onsite location is accessible by said client computer via said LAN.

7. A system for onsite backup of internet-based data comprising:

- a central computer;
- a client computer at a client site;
- a communications link between said central computer and the Internet;
- a communications link between said client computer and the Internet;
- at least one database containing a plurality of data records accessible by said central computer, each data record containing a client identification number;
- software executing on said central computer for receiving commands from said client computer, for receiving data from said client computer, and for storing said data in said database;
- software executing on said central computer for receiving a data backup request and for receiving a data format conversion request;
- software executing on said central computer for retrieving said data from said database and for converting said data to a format corresponding to said data format conversion request, wherein the conversion of said client data to a format corresponding to said data format conversion request occurs prior to said client data being sent from said central computer to the client site;
- software executing on said central computer for encrypting said data backup;

5

software executing on said central computer for transmitting said data backup to the client site for storage in an onsite location accessible by said client computer; and software executing on said client computer for decrypting said data backup; and

wherein the onsite location is accessible by said client computer without using said communications link between said client computer and the Internet.

8. The system of claim 7 further comprising of software executing on said central computer for retrieving said data backup.

9. The system according to claim 7, further comprising: a local area network (LAN) at the client site, wherein the onsite location is accessible by said client computer via said LAN.

10. A system for local storage of data through the Internet comprising:

- a central computer connected to the Internet;
- a client computer at a client site connected to the Internet;
- at least one storage having a plurality of client data records, said at least one storage accessible by said central computer, each client data record having an identifier that relates the client data record to a client;
- a client data request, sent from said client computer via the Internet to said central computer; and

6

client data corresponding to said client data request, sent from said central computer via the Internet to the client site and saved in an onsite location accessible by said client computer, wherein said central computer converts said client data to a format corresponding to a data conversion request, wherein the conversion of said client data to a format corresponding to said data format conversion request occurs prior to said client data being sent from said central computer to the client site; and

wherein the onsite location is accessible by said client computer without using a communications link between said client computer and the Internet.

11. The system according to claim 10 wherein said client data is encrypted prior to being sent to the client site to be saved in the onsite location.

12. The system according to claim 10 further comprising a data format conversion request, sent from the client computer to said central computer.

13. The system according to claim 12 wherein said client data is encrypted prior to being sent to the client site to be saved in the onsite location.

14. The system according to claim 10, further comprising: a local area network (LAN) at the client site, wherein the onsite location is accessible by said client computer via said LAN.

* * * * *